


30 MTR.
80 MTR.
100 MTR.
www.kittytools.com AN ISO 9001: 2015 CO.
KT-616
DIGITAL MULTI METER (HEAVY)
MODEL 830L
RATE
1359.00
KT-617
DIGITAL MULTI METER (ECONOMIC)
MODEL 830D
RATE
990.00
KT-618
DIGITAL CLAMP METER (AC-DC)
A) DT266
RATE: 1395/-
B) M-27
RATE: 2990/-
C) M-266
RATE: 3390/-
D) 200/1000 A CM 2030
RATE: 3990/-
E) MC-72 AUTO DIGITAL 4000 COUNTS
RATE: 5990/-
KT-619
AUTOMATIC DIGITAL CLAMP METER (AC-DC)
RANGE : 0 - 400 V, RESOLUTION 1V
ACCURACY 1% ± 5 COUNTS
CURRENT AC 0-400A, RESOLUTION 0.1A
RANGE 0-40A, ACCURACY 1.8%±5 COUNTS (50-60Hz)
RESISTANCE 0.1 ACCURACY 1%±5 COUNTS
ENVIRONMENTAL SPECIFICATIONS : OPERATING TEMP. -10°C TO +50°C
STORAGE TEMP. -30°C TO +60°C OPERATING ALTITUDE 2000 MTR.S.
RATE: 19900/-
KT-620
TRUE RMS AC/DC CLAMP METER
376 TRUE RMS AC/DC CLAMP METER **RATE : 53990**
RANGE : 2500A A
RESOLUTION 0.1 A (<= 600A) 1A(<= 2500A)
ACCURACY 3% ± 5 DIGITS (5-500Hz)
DC CURRENTY 600.0A RESOLUTION 0.1 A
ACCURACY 2% ± 5 DIGITS
AC/DC VOLTAGE : 600.0V RESOLUTION 0.1V
ACCURACY 1.5% ± 5 DIGITS
KT-621
THERMOMETER WITH HYGROMETER CLOCK
Working range outdoor -40°C to 70°C (-40°F to 158°F)
Error 0.1°C ; indoor 0°C to 50°C (32°F to 122°F)
Humidity 10% - 99%
Resolution 1% and accuracy: ± 5% weight is 205gm.
Battery 1.5 v dc of aaa size reset and mode change feature avi
Back side hook for hanging
RATE PER PC
1295.00
KT-622
DISTANCE LASER METER
MEASUREMENT Accuracy: ±1.5 MM
MEASUREMENT UNITS MM/INCH/FEET
MEASUREMENT TIME : <0.5SEC.
MAX. STORAGE : 99 UNITS
AUTOMATIC BACK LIGHT : YES
LASER LEVEL : II
LASER TYPE: 635NM <1mW,
AUTOMATIC LASER CUT OFF 20 SEC.
AUTOMATIC UNIT SHUTDOWN : 150SEC.,
BATTERY 1.5V 3* AAA,
STORAGE HUMIDITY : RH85%
STORAGE TEMP. 20°C TO 60°C

| MODEL : | 30 MTR. | 40 MTR. | 50 MTR. | 60 MTR. | 80 MTR. | 100 MTR. | 120 MTR. |
|------------------|---------|---------|---------|---------|---------|----------|----------|
| REGULAR : | 5990/- | 6800/- | 7800/- | 8200/- | 8400/- | 10400/- | 12400/- |
| HEAVY : | 9900/- | 11900/- | 13900/- | 15900/- | 19900/- | 26900/- | 31900/- |
| E-HEAVY : | 13900/- | 15900/- | 19900/- | 23900/- | 28900/- | 39900/- | 44900/- |


ELECTRIC
GASOLINE ENGINE

ELECTRIC
GASOLINE ENGINE

www.kittytools.com
AN ISO 9001: 2015 CO.
www.kittytools.com
KT-623
MATERIAL HOLDING LIFT

| | RATE (WITH 3 HP SINGLE PHASE MOTOR) | RATE (WITHOUT MOTOR) |
|-------------|--|--------------------------|
| REGULAR | 159000.00 | 119000.00 |
| EXTRA HEAVY | 179000.00 | 139000.00 |

| SPARE TROLLY | RATE |
|--------------|----------|
| | 30000.00 |

KT-624
MINI CONCRETE MIXER
MODEL : ELECTRIC

CAPACITY 3.5 CUBIC FEET (1/2 BAG) 80KG., 220 LTR
 DRUM TYPE TILTING, DRUM OPENING 400 MM,
 MOTOR 1 HP SINGLE PH. , 230 V, 50Hz, 900 W, S630%
 MAX. WEIGHT CAP. 180 POUNDS

RATE : 75000.00
MODEL : GASOLINE ENGINE

CAPACITY 3.5 CUBIC FEET (1/2 BAG) 80KG., 220 LTR,
 DRUM TYPE TILTING, DRUM OPENING 400 MM
 MAX. WEIGHT CAP. 180 POUNDS

RATE : 135000.00
KT-625
MINI CONCRETE MIXER (PORTABLE)
MODEL: ELECTRIC

CAPACITY 3.5 CUBIC FEET (1/2 BAG) 80KG. , 220 LTR,
 DRUM TYPE NON TILTING, DRUM OPENING 400 MM
 MOTOR 1 HP SINGLE PH. , 230 V, 50Hz, 550 W, RPM 23, S630%
 MAX. WEIGHT CAP. 180 POUNDS

RATE : 78000.00
MODEL : GASOLINE ENGINE

CAPACITY 3.5 CUBIC FEET (1/2 BAG) 80KG. , 220 LTR,
 DRUM TYPE NON TILTING, DRUM OPENING 400 MM
 MAX. WEIGHT CAP. 180 POUNDS

RATE : 131000.00
KT-626
CONCRETE MIXER

| CAPACITY | RATE WITH ENGINE (6HP) | RATE WITHOUT ENGINE |
|-------------------|------------------------------|---------------------|
| 1 BAG (500LTR.) | 179000.00 | 129000.00 |
| CAPACITY | RATE WITH ENGINE (8HP) | RATE WITHOUT ENGINE |
| 1.5 BAG (700LTR.) | 199000.00 | 159000.00 |
| CAPACITY | RATE WITH MOTOR (3HP 3PHASE) | RATE WITHOUT MOTOR |
| 1 BAG | 159000.00 | 129000.00 |
| CAPACITY | RATE WITH MOTOR (5HP 3PHASE) | RATE WITHOUT MOTOR |
| 1.5 BAG | 189000.00 | 159000.00 |

KT-627
CONCRETE MIXER WITH HOOPER

| CAPACITY | RATE WITH ENGINE (10HP) | RATE WITHOUT ENGINE |
|----------|--------------------------------|---------------------|
| 1 BAG | 295000.00 | 259000.00 |
| CAPACITY | RATE WITH ENGINE (10HP) | RATE WITHOUT ENGINE |
| 1.5 BAG | 355000.00 | 299000.00 |
| CAPACITY | RATE WITH MOTOR (5HP 3PHASE) | RATE WITHOUT MOTOR |
| 1 BAG | 279000.00 | 259000.00 |
| CAPACITY | RATE WITH MOTOR (7.5HP 3PHASE) | RATE WITHOUT ENGINE |
| 1.5 BAG | 335000.00 | 299000.00 |

KT-628
CONCRETE MIXER WITH LIFT

| CAPACITY | RATE WITH ENGINE (10HP) | RATE WITHOUT ENGINE |
|----------|--------------------------------|---------------------|
| 1 BAG | 435000.00 | 390000.00 |
| CAPACITY | RATE WITH ENGINE (10HP) | RATE WITHOUT ENGINE |
| 1.5 BAG | 485000.00 | 440000.00 |
| CAPACITY | RATE WITH MOTOR (5HP 3PHASE) | RATE WITHOUT MOTOR |
| 1 BAG | 425000.00 | 390000.00 |
| CAPACITY | RATE WITH MOTOR (7.5HP 3PHASE) | RATE WITHOUT ENGINE |
| 1.5 BAG | 475000.00 | 440000.00 |

SPARE LIFT RATE PER FEET
 990.00


KT-629
BLOCK SPLITTERS (HAND OPERATED)
RATE
 23500.00

KT-630
EARTH COMPACTOR
MODEL : ELECTRIC

MOTOR 3 HP SINGLE PH. , 230 V, 50Hz,

RATE : 19000.00 (WITHOUT MOTOR)
RATE : 39000.00 (WITH MOTOR)
RATE : 36000.00 (WITH GASOLINE ENGINE)
ELECTRIC
GASOLINE ENGINE

KT-631
SAND/ CONCRETE MIXER PAN
MODEL: ELECTRIC

CAPACITY 3.5 CUBIC FEET (1/2 BAG) 80KG. , 220 LTR,

DRUM TYPE NON TILTING, DRUM OPENING 400 MM

MOTOR 1 HP SINGLE PH. , 230 V, 50Hz, 550 W, RPM 23, S630%

MAX. WEIGHT CAP. 180 POUNDS

RATE : 78000.00

KT-632
PORTABLE CONCRETE MIXER PAN
CAPACITY

1 BAG (500LTR.)

RATE WITH ENGINE (6HP)

179000.00

RATE WITHOUT ENGINE

129000.00


KT-633
CONCRETE MIXER PAN WITH LADDER
CAPACITY

1 BAG

RATE WITH ENGINE (10HP)

295000.00

RATE WITHOUT ENGINE

259000.00

CAPACITY

1.5 BAG

RATE WITH ENGINE (10HP)

355000.00

RATE WITHOUT ENGINE

299000.00


KT-634
AUTOMATIC PAN MIXER
CAPACITY

1/2 BAG, 250KG,

5HP, 3PHASE MOTOR

BLADE & ROLLER STIRRER TYPE,

TRANSMISSION PLANETARY GEAR BOX

DISCHARGE LEVER TYPE

PAN SIZE: 4 FEET, BASE STRUCTURAL STEEL

RATE :

395000.00

CAPACITY

1BAG, 450KG,

7.5HP, 3PHASE MOTOR

BLADE & ROLLER STIRRER TYPE,

TRANSMISSION PLANETARY GEAR BOX

DISCHARGE LEVER TYPE

PAN SIZE: 5 FEET, BASE HEAVY STRUCTURAL STEEL

RATE :

455000.00


KT-635
WASTE BRICK CRUSHER
WITH ELECTRIC MOTOR

CRUSHING CAPACITY 1000PCS./HR.

(1.9 CUBIC METER)

MOTOR 7HP 3PHASE, 415V

WEIGHT 1650 KG, NO. OF TYRE-4

BRICK SIZE : 20MM-80MM(244x100x75)

CRUSHING UNIT 40MM,

SHAFT LENGHT 850MM, THICKNESS 102MM

RATE: 290000.00
WITH DIESEL ENGINE :

CRUSHING CAPACITY 1000PCS./HR.

(1.9 CUBIC METER)

ENGINE 12HP , WEIGHT 1850 KG

NO. OF TYRE-4

BRICK SIZE : 20MM-80MM(244x100x75)

CRUSHING UNIT 40MM,

SHAFT LENGHT 850MM, THICKNESS 102MM

RATE: 299000.00
KT-636
WASTE BRICK CRUSHER WITH CONVEYOR
SEMI AUTOMATIC MILD STEEL, CONVEYOR LENGTH 850MM
BENEFITS OF THE CONVEYOR: IT CAN EASILY LOAD THE CRUSH PIECES DIRECTLY TO THE TROLLEY
RATE: 399000.00

www.kittytools.com AN ISO 9001: 2015 CO.



www.kittytools.com AN ISO 9001: 2015 CO. www.kittytools.com

KT-637
SAFETY GLOVES

| | RATE | RATE | RATE |
|------------------------|---------|--------|--------|
| MODEL | REGULAR | MEDIUM | HEAVY |
| COTTON | 45.00 | 59.00 | 88.00 |
| PLASTIC | 59.00 | 95.00 | 135.00 |
| DENIM | 59.00 | 95.00 | 115.00 |
| LEATHER | 159.00 | 235.00 | 335.00 |
| RUBBER | 159.00 | 250.00 | 350.00 |
| RUBBER INDL. | 159.00 | 250.00 | 350.00 |
| NYLON (LATEX) HALF DIP | 85.00 | 120.00 | 180.00 |
| NYLON (LATEX) FUL DIP | 120.00 | 190.00 | 280.00 |
| RUBBER PALM COATED | 120.00 | 160.00 | 190.00 |
| LEATHER MULTICOLOUR | 110.00 | 150.00 | 180.00 |

KT-638
INDUSTRIAL DUST SAFETY MASK

| MODEL | A | B | C |
|-------|-------|--------|--------|
| RATE | 79.00 | 359.00 | 460.00 |

KT-639
SAFETY MASK

| SIZE | LIGHT | MEDIUM | HEAVY | SIZE | LIGHT | MEDIUM | HEAVY |
|---------|--------|--------|--------|---------|--------|--------|--------|
| PLASTIC | 59.00 | 95.00 | 135.00 | PLASTIC | 59.0 | 95.00 | 115.00 |
| RATE | | | | DENIM | | | |
| LEATHER | 159.00 | 235.00 | 335.00 | RUBBER | 159.00 | 250.00 | 350.00 |

KT-640
SAFETY MASK

| MODEL | RATE |
|---------|--------|
| REGULAR | 119.00 |
| HEAVY | 135.00 |

KT-641
SAFETY MASK

| Ordinary | Tripple Layer | ISI Breathing Valve |
|----------|---------------|---------------------|
| RATE | RATE | RATE |
| 15.00 | 28.00 | 135.00 |

KT-642
GUM BOOT

| MODEL | SIZE | SIZE | RATE |
|---------|---------|--------------|--------|
| REGULAR | 6, 7, 8 | 9, 10 11, 12 | 359.00 |
| HEAVY | 6, 7, 8 | 9, 10 11, 12 | 595.00 |

KT-643
SAFETY SHOES

| MODEL | SIZE | RATE | MODEL | SIZE | RATE |
|---------|----------------------|--------|-----------|----------------------|--------|
| REGULAR | 6, 7, 8 9, 10 11, 12 | 440.00 | HIGH NECK | 6, 7, 8 9, 10 11, 12 | 680.00 |


www.kittytools.com AN ISO 9001: 2015 CO. www.kittytools.com

| KT-644 CAUTION TAPE | |
|---------------------|--------|
| SIZE | RATE |
| 250 Mtr. | 315.00 |
| 500 Mtr. | 599.00 |

| KT-645 REFLECTIVE TAPE | |
|------------------------|----------------|
| SIZE | RATE |
| 50 Mtr. | 19.00 PER Mtr. |

| KT-646 PLASTIC SAFETY CHAIN | |
|-----------------------------|----------------|
| MODEL | RATE |
| RED & WHITE (10 Mtr.) | 26.00 Per Mtr. |

| KT-647 SAFETY CONE | |
|--------------------|--------|
| MODEL | RATE |
| LIGHT | 395.00 |
| MEDIUM | 595.00 |
| HEAVY | 935.00 |

| KT-648 AUTO DARKENING WELDING HELMET | |
|--------------------------------------|---------|
| MODEL | RATE |
| | 3795.00 |

| KT-649 SAFETY HELMET | | | |
|----------------------|--------|-------------|--------|
| MODEL | RATE | FIRE SAFETY | RATE |
| REGULAR | 119.00 | REGULAR | 119.00 |
| HEAVY | 135.00 | HEAVY | 135.00 |

| KT-650 EAR MUFFS | |
|------------------|---------|
| MODEL | RATE |
| REGULAR | 249.00 |
| 3M FOLDABLE | 1999.00 |
| 3M PELTOR | 5999.00 |

| KT-651 SAFETY GOGGLES | |
|-----------------------|--------|
| MODEL | RATE |
| A | 49.00 |
| B | 53.00 |
| C | 59.00 |
| D | 65.00 |
| E | 115.00 |
| F | 135.00 |
| G | 335.00 |
| H | 395.00 |
| I | 425.00 |

| KT-652 FIRST AID KIT | |
|----------------------|---------|
| SMALL | BIG |
| RATE | RATE |
| 2115.00 | 1670.00 |



www.kittytools.com AN ISO 9001: 2015 CO. www.kittytools.com

VEHICLE FIRE EXTINGUISHER WITH STAND

KT-653

RATE (PER PC)
499.00

ABC DRY POWDER PORTABLE FIRE EXTINGUISHERS

KT-654

| (1 KGS.) | (2 KGS.) | (4 KGS.) | (5 KGS.) | (6 KGS.) | (9 KGS.) |
|---------------|---------------|---------------|---------------|---------------|---------------|
| RATE (PER PC) | RATE (PER PC) | RATE (PER PC) | RATE (PER PC) | RATE (PER PC) | RATE (PER PC) |
| 1395.00 | 1799.00 | 2199.00 | 2390.00 | 2790.00 | 3190.00 |

WATER MIST FIRE EXTINGUISHERS

KT-655

(9 LTR.)
RATE (PER PC)
3190.00

MECHANICAL FOAM FIRE EXTINGUISHERS

KT-656

4.5 KG. (9 LTR.)
RATE : 3150.00

JET RANGE (IN METER) 6
JET MAINTAIN FOR MINIMUM PER SECOND 25
DISCHARGE TIME PER SECOND 25-90
MINIMUM % OF DISCHARGE 95
EMPTY WEIHT IN KG. 5.5
FULL WEIGHT IN KG. 14.5

MIST WATER TROLLEY FIRE EXTINGUISHERS

KT-657

(50 LTR.)
RATE : 65000.00

OPERATING PRESSURE BAR 34
EXTINGUISHING GUN 750 GM
AIR CYLINDER 6L 300 BAR

MECHANICAL FOAM TROLLEY FIRE EXTINGUISHERS

KT-658

(50 LTR.)
RATE : 15950.00

JET RANGE (IN METER) 10
JET MAINTAIN FOR MINIMUM PER SECOND 60
DISCHARGE TIME PER SECOND 60-180
MINIMUM % OF DISCHARGE 95
EMPTY WEIHT IN KG. 34
FULL WEIGHT IN KG. 84

ABC DRY POWDER TROLLEY FIRE EXTINGUISHERS

KT-659

(25 KGS.)
RATE : 41000.00



www.kittytools.com AN ISO 9001: 2015 CO. www.kittytools.com

KT-660

PU FIRE HOSE PIPE

| | |
|-----------------------------------|---|
| RATE (PER METER) 240.00 | DIA METER 50 MM PRESSURE 1.6 Mpa |
| RATE (PER METER) 550.00 | DIA METER 65 MM PRESSURE 3.5 Mpa |

KT-661

FIRE FIGHTING WATER PIPE

| RATE (PER ROLL) 8500.00 | DIA METER MM | BURSTING PRESSURE (KGF/CM²) | PROOF PRESSURE (KGF/CM²) | COIL DIA 30MTR) CM |
|-----------------------------------|---------------------|---|--|-------------------------------------|
| | 38 | 35.7 | 21.4 | 45 |
| | 50 | 35.7 | 21.4 | 45 |
| | 63 | 35.7 | 21.4 | 45 |
| | 70 | 35.7 | 21.4 | 45 |

KT-662

SINGLE WAY LANDING VALVE COOPER

RATE (PER PC)
11399.00

FIRE HYDRANT SCREWED INLET VALVE

RATE (PER PC)
11990.00

KT-663

SINGLE WAY LANDING VALVE STAINLESS STEEL

RATE (PER PC)
9999.00

KT-664

FIRE HYDRANT SYSTEM TWO WAY TYPE

RATE (PER PC)
25999.00

KT-665

SWIM TYPE CHECK VALVE

RATE (PER PC)
13999.00

KT-666

ELECTRIC SIREN (1KM)

RATE (PER PC)
7999.00


 SINGLE ROPE
BOLT TYPE

 DOUBLE ROPE
HOOK TYPE

www.kittytools.com AN ISO 9001: 2015 CO. www.kittytools.com
KT-667
FIRE FALL SAFETY KIT
GENTS
LADIES
RATE
480.00

RATE
450.00

KT-668
SAFETY JACKET

| | |
|---------------|-------------|
| SIZE | RATE |
| 1" GLOW STRIP | 119.00 |
| 2" GLOW STRIP | 135.00 |

KT-669
FIRE EXTINGUISHER SAFETY JACKET REFLECTIVE

| | |
|---------------|-------------|
| SIZE | RATE |
| 1" GLOW STRIP | 1995.00 |
| 2" GLOW STRIP | 2335.00 |

KT-670
SAFETY BELT

| | | | |
|-----------------------|-------------|-----------------------|-------------|
| MODEL | RATE | MODEL | RATE |
| SINGLE ROPE BOLT TYPE | 1295.00 | SINGLE ROPE HOOK TYPE | 1895.00 |
| DOUBLE ROPE BOLT TYPE | 1450.00 | DOUBLE ROPE HOOK TYPE | 2195.00 |

KT-671
FIRE EXTINGUISHER SAFETY JACKET

| | | | |
|----------------|--------------|---------------|--------------|
| PLASTIC | LIGHT | MEDIUM | HEAVY |
| RATE | 59.00 | 95.00 | 135.00 |
| LEATHER | 159.00 | 235.00 | 335.00 |
| DENIM | 59.00 | 95.00 | 115.00 |
| RUBBER | 159.00 | 250.00 | 350.00 |

5 POCKET SPLIT LEATHER PROFESSIONAL CARPENTER APRON
KT-672 **Rs. 700.00**

 1 Large Main Pocket, 1 Medium Size Nail Pocket with Metal Tape Holder.
3 Small Tool Pockets & Ovner Knife Sheath with One Metal Fix Hammer Holder
Double Stitched & Rivet for Double Strength Adjustable Belt with Double Bucket.

SPLIT LEATHER POWER TOOLS HOLDER
KT-673 **Rs. 1000.00**

 1 Large Main Pocket, 1 Medium Size Front Nail Pocket with one leather Hammer Loop,
1 Leather Drill Holster with 3 Small Pencil Pockets, 6 Small & 5 Large Bit Pockets
Rivet Added for Extra Strength, Adjustable Belt with Quick Release Buckle.

10 POCKETS SPLIT LEATHER EXTRA LARGE CAPACITY NAIL & TOOL BAG
KT-674 **Rs. 750.00**


 1 Large Main Pocket, 1 Medium Size Front Nail Pockets
2 Belt Level Inner Pockets, 6 Small Pencil Pockets, 2 Metal Fixed Hammer Holder
Double Stitched & Rivet ReinFormed with Tunnel Slot

11 POCKETS PROFESSIONAL STYLE SPLIT LEATHER CARPENTER APRON
KT-675 **Rs. 900.00**

 2 Large Main Pocket, 2 Medium Size Nail Pockets
1 Metal Bloodle Hammer Holder & 2 Leather Hammer Loops Stitched & Rivet Rein
Formed for Added Strength, 2 Adjustable Heavy Duty Leather Belt with Bucket.

13 POCKETS EXTRA LARGE CAPACITY SPLIT LEATHER CARPENTER APRON
KT-676 **Rs. 1250.00**

 2 Large Main Pocket, 2 Medium Size Pockets & 6 Small Tool Pockets to Hold a
Vareity of Tools 2 Fixed Metal Hammer Holder with Leather Tools Pockets Double
Stitched & Extra rivet Reinformed for added strength Adjustable Nylon Belt with
Quick Release Bucket.


www.kittytools.com AN ISO 9001: 2015 CO.
KT-677
INVERTOR BASE WELDING SET

| MODEL | RATE | TECHNICAL SPECIFICATION |
|------------------------|----------|---|
| 200 AMP Light (IGBT) | 9000.00 | (DC ARC, INVERTOR TYPE, 29A, O.C.V. 65V DC, 50Hz, AC 220, 1PH) |
| 200 AMP Heavy (IGBT) | 9900.00 | (DC ARC, INVERTOR TYPE, 29A, O.C.V. 65V DC, 50Hz, AC 220, 1PH) |
| 200 AMP Heavy (Mosfet) | 13900.00 | (O.C.V. 65V DC, 32V DC, 6KVA, 50Hz, AC 220, 1PH, IP21S) |
| 250 AMP (IGBT) | 13900.00 | (O.C.V. 65V DC, 32V DC, 4.5KVA, 50Hz, AC 120-560, 1PH, IP21S) |
| 250 AMP Heavy (Mosfet) | 19900.00 | (O.C.V. 68V DC, 7KVA, 50Hz, AC 220-230, 1PH, IP21S) |
| 255 AMP (IGBT) | 14500.00 | (O.C.V. 65V DC, 32V DC, 4.5KVA, 50Hz, AC 120-560, 1 & 2 PH, IP21S) |
| 300 AMP (IGBT) | 19999.00 | (O.C.V. 75-85V DC, 24V DC, 16.6KVA, 50Hz, AC 60-560, 1 & 2 PH, IP21S) |
| 300 AMP (Mosfet) | 29999.00 | (O.C.V. 56V DC, 24V DC, 18.5KVA, 100W, 50Hz, AC 415, 3 PH, IP21S) |
| 400 AMP (IGBT) | 49999.00 | (O.C.V. 280V DC, 24V DC, 18.4KVA, 50Hz, AC 60-560, 3 PH, IP21S) |

KT-678
DC INVERTOR MIG WELDER

| MODEL: | MIG 250 | MIG 300 | MIG 350 | MIG 400 | MIG 500 |
|--------|----------|----------|-----------|-----------|-----------|
| RATE : | 75000.00 | 90000.00 | 110000.00 | 130000.00 | 180000.00 |

KT-679
DC INVERTOR MIG WELDER

| MODEL: | MIG 250 | MIG 300 | MIG 350 | MIG 400 | MIG 500 |
|--------|----------|----------|-----------|-----------|-----------|
| RATE : | 75000.00 | 90000.00 | 110000.00 | 130000.00 | 180000.00 |

KT-680
WELDING HOLDER

| MODEL | A | B | C |
|------------|------------------|---------------------|-----------------|
| RATE | 225.00 | 425.00 | 459.00 |
| MODEL | D (COOPER TEETH) | E (FULLY INSOLATED) | F (CLOSED HEAD) |
| RATE | 499.00 | 890.00 | 1190.00 |
| MINI MODEL | LIGHT | MEDIUM | HEAVY |
| RATE | 249.00 | 290.00 | 390.00 |

KT-681
WELDING CABLE

| | GAUGE | SQ/MM | WIRE | AMPERE | RODE SIZE | PRICE/Mtr. |
|---------|-------|-------|------|--------|-----------|------------|
| REGULAR | 38 | 25 | 300 | 200 | 12-10 | 220.00 |
| | 38 | 35 | 500 | 300 | 12-10 | 319.00 |
| | 38 | 50 | 700 | 400 | 12-8 | 399.00 |
| | 38 | 70 | 1000 | 500 | 12-8 | 590.00 |
| HEAVY | 36 | 25 | 300 | 300 | 12-8 | 290.00 |
| | 36 | 35 | 500 | 400 | 12-8 | 335.00 |
| | 36 | 50 | 700 | 500 | 12-8 | 590.00 |
| | 36 | 70 | 1000 | 600 | 12-8 | 750.00 |

KT-682
CABLE CONNECTOR


| PLUG MALE | PLUG FEMALE | | |
|----------------------|-------------|----------|----------|
| SIZE | 10-25 MM | 35-50 MM | 50-70 MM |
| RATE | 89.00 | 139.00 | 245.00 |
| CONNECTOR PATTI TYPE | IMPORTED | | INDIAN |
| RATE | 299.00 | | 330.00 |

KT-683
BOOSTER CABLE 1000 AMP.


| | |
|------|---------|
| RATE | 1999.00 |
|------|---------|

KT-684
CROCODILE CLIPS

| | |
|-------------------|----------------------|
| NORMAL (MS TEETH) | HEAVY (COPPER TEETH) |
| RATE | RATE |
| 199.00 per pc. | 599.00 per pc. |



RUBBER GAS PIPE



www.kittytools.com

AN ISO 9001: 2015 CO.

www.kittytools.com

KT-685

GAS WELDING TORQUE

| | |
|--------------------------------|---------------------------------|
| WHITE RATE (PER PC) 7.00 | BLACK RATE (PER PC) 22.00 |
|--------------------------------|---------------------------------|

KT-686

HAND WELDING SCREEN

| | |
|--|--|
| FIBRE (BROWN) RATE (PER PC) 199.00 | PVC (BLACK) RATE (PER PC) 390.00 |
|--|--|

KT-687

WELDING GOOGLES

| | |
|---|------------|
| MODEL : A RATE 2199/- (AUTO DARKENING) | B 299/- |
| MODEL : C RATE 339/- | D 190/- |
| MODEL : E RATE 79/- | F 59/- |

KT-688

RUBBER GAS PIPE

| | | |
|-------------------------|---------------|----------------|
| RUBBER GAS PIPE BORE | 8MM | 10MM |
| REGULAR | 88/-PER MTR. | 120/- PER MTR. |
| HEAVY | 130/-PER MTR. | 180/- PER MTR. |
| ISI | 192/-PER MTR. | 250/-PER MTR. |

KT-689

GAS CUTTING NOZZLE

| | | |
|------|---------|-------|
| ITEM | REGULAR | HEAVY |
| RATE | 290/- | 340/- |

KT-690

GAS WELDING TORQUE TIPS

| | |
|---------|-------|
| ITEM | RATE |
| REGULAR | 290/- |
| HEAVY | 340/- |

KT-691

WELDING CABLE THIMBLE

| | |
|--------------------------------------|-------------------------------------|
| ROUND TYPE RATE (PER PC) 69.00 | OPEN TYPE RATE (PER PC) 75.00 |
|--------------------------------------|-------------------------------------|

www.kittytools.com AN ISO 9001: 2015 CO. www.kittytools.com



KT-692

GAS WELDING TORQUE

REGULAR
RATE (PER PC)
2299.00

HEAVY FULL BRASS
RATE (PER PC)
5399.00



KT-693

CUTTING TORQUE

REGULAR
RATE (PER PC)
4390.00

HEAVY FULL BRASS
RATE (PER PC)
5390.00



KT-694

HEATING TORQUE

RATE (PER PC)
1195.00



SINGLE GAUGE
SINGLE STAGE

DOUBLE GAUGE
SINGLE STAGE

KT-695

OXYGEN REGULATOR SINGLE STAGE

REGULAR
SINGLE GAUGE
RATE (PER PC)
3390.00

DOUBLE GAUGE
RATE (PER PC)
3590.00

HEAVY
SINGLE GAUGE
RATE (PER PC)
4290.00

DOUBLE GAUGE
RATE (PER PC)
5990.00



SS BODY
DOUBLE STAGE



DOUBLE STAGE
FULL BRASS

KT-696

OXYGEN REGULATOR DOUBLE STAGE

REGULAR
SS BODY
DOUBLE GAUGE
RATE (PER PC)
7690.00

MATERIAL STAINLESS STEEL
BODY MATERIAL BRASS
GAUGES DOUBLE
DISPLAY ANALOGUE

HEAVY
FULL BRASS
DOUBLE GAUGE
RATE (PER PC)
8990.00

MATERIAL FULL BRASS
BODY MATERIAL BRASS
GAUGES DOUBLE
DISPLAY ANALOGUE

T-TYPE



L-TYPE



KT-697

GAS CYLINDER KEY

| | LIGHT | MEDIUM | HEAVY |
|--------|-------|--------|--------|
| T-TYPE | 72.00 | 98.00 | 115.00 |
| L-TYPE | 96.00 | 138.00 | 188.00 |

THREE IN ONE



LEVER TYPE



KT-698

GAS CYLINDER KEY DROP FORGED

| | |
|-----------------------------|--------|
| LEVER TYPE | 120.00 |
| SPANNER TYPE (THREE IN ONE) | 280.00 |