



2-20

2-22

Note: All kinds of spares & Accessories are available



2-26 METAL HEAD

2-30 METAL HEAD



KT-2310

HEAVY REVERSIBLE

Note: All kinds of spares & Accessories are available



EID-13

DU-10

Note: All kinds of spares & Accessories are available


www.kittytools.com AN ISO 9001: 2015 CO.
KT-745
DRILL MACHINE 16MM WDH TYPE

MODEL KT440
 Drill Capacity 16 mm
 Impact rate 1000 rpm
 Frequency 50 Hz , Input 220/240 V
 Power consumption 900W

RATE 8600.00 **SIZE :** 4"X24"
 1640FT. /MIN., MOTOR 11AMP.
 Frequency 50 Hz , Input 220/240 V, 1200 W
 SOUND LEVEL 84 DB,

KT-746
6MM DRILL/SCREW DRIVER

DRILLING CAPACITY 0-6MM
 REVERSEABLE WITH VARIABLE SPEED
 220/240 V
 POWER INPUT : 250 WATT
 SPEED: 0-4500 RPM, 50-60 Hz

MODEL	RATE
KT02/6A REGULAR	3190.00
MEDIUM	4590.00
HEAVY	5935.00

KT-747
13MM IMPACT DRILL

DRILLING CAPACITY 0-13MM
 REVERSEABLE WITH VARIABLE SPEED
 AND WITH HAMMER
 220 V, 50-60 Hz
 SPEED: 0-2800 RPM

MODEL	RATE
REGULAR (550 W)	2990.00
MEDIUM (750 W)	3590.00
HEAVY (850 W)	4190.00

KT-748
ROTARY HAMMER

Size : 20 mm (RH-2-20) 850 (W), 220 (V), 50 (Hz), 880 (Rpm.)

MODEL :	ORDINARY	MEDIUM	HEAVY	REVERSIBLE	METAL BODY
RATE:	3900/-	5500/-	7500/-	5900/-	7500/-

Size : 26 mm (RH-2-26) 950 (W), 220 (V), 50 (Hz), 1100 (Rpm.)

MODEL :	ORDINARY	MEDIUM	HEAVY	METAL BODY
RATE:	5900/-	7500/-	9500/-	13900/-

Size : 30 mm (RH-2-30) 950 (W), 220 (V), 50 (Hz), 1150 (Rpm.)

MODEL :	METAL BODY
RATE:	13900/-

KT-749
POWER DRILL

Size	Rate
10 mm KT-2310 370 (W), 220 (V), 50 (Hz), 2600 (Rpm)	1690/-
10 mm KT-2310 370 (W), 220 (V), 50 (Hz), 2600 (Rpm)	1890/- (HEAVY)
10 mm KT-AED10 370 (W), 220 (V), 50 (Hz), 2800 (Rpm)	2890/- (REVERSIBLE)

KT-750
POWER DRILL

Size	Rate
13 mm KT-DU10 550 (W), 220 (V), 50 (Hz), 2800 (Rpm)	3595/-
13 mm KT-EID13 550 (W), 220 (V), 50 (Hz), 1250 (Rpm)	3795/- (Hammer)

KT-751
MAGNETIC DRILL MACHINE

MODEL :	680W (12mm)	900W (16mm)	1500W (23mm)
RATE :	28900/-	35900/-	53900/-



www.kittytools.com AN ISO 9001: 2015 CO. www.kittytools.com

KT-752
DEMOLITION HAMMER (5 KG.)

MODEL No. 0810
 Drill Capacity 17 mm
 impact rate 2900 bpm
 frequency 50 hz
 input 220 V
 Power consumption 900W

QUALITY	RATE
ORDINARY	8000.00
MEDIUM	8800.00
HEAVY	9800.00

KT-753
DEMOLITION HAMMER (7 KG.)

MODEL No. 0835
 Drill Capacity 17 mm
 impact rate 2900 rpm
 frequency 50 hz
 input 220 V
 Power consumption 1100W

QUALITY	RATE
ORDINARY	9000.00
MEDIUM	9800.00
HEAVY	10800.00

KT-754
DEMOLITION HAMMER (8 KG.)

MODEL No. 0840
 Drill Capacity 17 mm
 impact rate 3500 rpm
 frequency 50 hz
 input 220 V
 Power consumption 1100W

QUALITY	RATE
ORDINARY	10900.00
MEDIUM	11900.00
HEAVY	12900.00

KT-755
DEMOLITION HAMMER MINI 11E SDS (11 KG.)

MODEL No. 0845A
 Drill Capacity 18 mm
 impact rate 3800 rpm
 frequency 50 hz
 input 220 V
 Power consumption 1250W

QUALITY	RATE
ORDINARY	11900.00
MEDIUM	12900.00
HEAVY	13500.00

KT-756
DEMOLITION HAMMER 11E (11 KG.)

MODEL No. 0845A
 Drill Capacity 18 mm
 impact rate 1000-2250 rpm
 frequency 50 hz
 input 220 V
 Power consumption 1500W

QUALITY	RATE
ORDINARY	19900.00
MEDIUM	21900.00
HEAVY	24900.00

KT-757
HAMMER DRILL 26B SDS (BOTTLE)

MODEL No. 26B
 Drill Capacity 26 mm
 impact rate 3200 rpm
 frequency 50 hz
 input 220 V
 Power consumption 750W

QUALITY	RATE
ORDINARY	8400.00
MEDIUM	9400.00
HEAVY	10900.00

KT-758
SDS + HAMMER DRILL 26MM (26RE)

MODEL No. 26RE
 Drill Capacity 26 mm
 impact rate 3200 rpm
 frequency 50 hz
 input 220 V
 Power consumption 850W

QUALITY	RATE
ORDINARY	8900.00
MEDIUM	9900.00
HEAVY	10900.00

KT-759
DEMOLITION HAMMER (16 KG.) 65 MM

MODEL No. 65A
 Drill Capacity 18 mm
 impact rate 1400 rpm, frequency 50 hz
 input 220 V, Power consumption 1800W
 Flat & Bullpoint Chisel set for
 demolition hammer 30x410mm ph 65A

QUALITY	RATE
REGULAR	11500.00
MEDIUM	12500.00
HEAVY	15900.00
EXTRA HEAVY	22500.00

DELUX
ECO

CM-4 SA

CM-4 SB

CM-5

CM-6

Note: All kinds of spares & Accessories are available



Note: All kinds of spares & Accessories are available


HEAVY

LG MODEL

www.kittytools.com AN ISO 9001: 2015 CO. www.kittytools.com
KT-760
MARBLE CUTTER

Size	IMPORTED	INDIAN (ECO)	DELUX
4" (100mm)			
CM4-SA(100mm)	2990/-	3400/-	3599/-
CM4-SB(100mm)	3150/-	3590/-	3999/-
CM5 - 5"(125mm)	4500/-	5900/-	6900/-
CM6 - 6"(150mm)	5500/-	6900/-	7900/-
4" (100mm)	CM-4	1100 (W), 230 (V), 50 (Hz), 12000 (Rpm)	
5" (125mm)	CM-5	1200 (W), 220 (V), 50 (Hz), 11000 (Rpm)	
6" (150mm)	CM-6	1300 (W), 220 (V), 50 (Hz), 8500 (Rpm)	

KT-761
ELECTRIC GROOVE CUTTER

INDIAN RATE	IMPORTED RATE
11990.00	9990.00

BLADE DIAMETER OF 110MM
 MAXIMUM CUTTING DEPTH OF 32MM
 MAXIMUM CUTTING WIDTH OF 50 MM
 NO. LOAD SPEED 10800 RPM
 POWER FULL MOTOR OF 1400 WATT

KT-762
CUT OFF MACHINE (CHOPSAW)

Size : 14" (355mm) LG 2300(W), 220 (V), 50 (Hz), 3800 (r/min)

MODEL :	LIGHT	MEDIUM	HEAVY
RATE:	11000/-	13900/-	19900/-

KT-763
METER SAW

MODEL	RATE	MODEL	RATE
10"	19800.00	12"	21500.00

MODEL : 10" METER SAW
 BLADE DIA METER 255mm
 NO. LOAD SPEED 4100 rpm
 VOLTAGE 220/240V
 NET WEIGHT 13.50 KG.

MODEL : 12" METER SAW
 BLADE DIA METER 305mm
 NO. LOAD SPEED 4000 rpm
 VOLTAGE 220/240V
 NET WEIGHT 14.50 KG.

KT-764
CORE CUTTER

Size : 8" (200mm) , 3300W,
 RATE : 39500/-

KT-765
GASOLINE CUT OFF SAW 14"

SIZE 14" (355MM) 2 STROKE , 87CC ENGINE WITH AUTO CHOCK, RATED POWER 4.3 KW, ENGINE SPEED 9000 RPM MAX. SPINDLE SPEED 5350 RPM, ARBOR SIZE 20MM MOTOR CYLINDER 87 CM³ CUTTING DEPTH 150MM	RATE 99999.00
--	-------------------------

KT-766
CIRCULAR SLAB CUTTER 14"

BLADE DIA METER 350MM MAXIMUM CUTTING DEPTH 100MM DEPTH PER CUT 50MM VOLTAGE/FREQUENCY 220/240V, 2400W WEIGHT 8KG	RATE 35900.00
---	-------------------------

DIAMOND SAW BLADE

EXTRA BLADE	
SIZE : 14 INCHES	18 INCHES
RATE : 3399.00	13900.00

KT-767
FLOOR CUTTING MACHINE

ELECTRIC : WATER TANK CAPACITY 40-60 LTR. MOTOR 10HP , 3600RPM, 415V BLADE DIA METER 450MM BLADE THICKNESS 3MM MAX. CUTTING DEPTH 130MM	DIESEL ENGINE 10HP (GREAVES) PETROL ENGINE 12HP (HONDA) BLADE DIA METER 450MM MAXIMUM CUTTING DEPTH 100MM DEPTH PER CUT 50MM
RATE 159000.00	REGULAR : RATE 259000.00 HEAVY : RATE 359000.00


5" 125MM
6" 150MM

ELECTRIC
GASOLINE
CHAIN SAW BAR

CHAIN

www.kittytools.com AN ISO 9001: 2015 CO.
KT-768
WOOD CUTTER WITH THALL

5" 125MM	230V/50HZ	RATE	6" 150MM	230/50HZ	RATE
INPUT POWER	1350W	4290.00	INPUT POWER	1800W	6990.00
NO LOAD SPEED	12000 RPM		NO LOAD SPEED	7500 RPM	
DIA OF BLADE	125MM		DIA OF BLADE	150MM	

KT-769
CIRCULAR SAW 185MM

VOLTAGE/FREQUENCY	220/50HZ	MODEL :	REGULAR	HEAVY	EXTRA HEAVY
INPUT POWER	1250W	RATE :	5890.00	6890.00	7800.00
NO LOAD SPEED	4900 RPM				
DIA OF BLADE	180/185MM				

KT-770
ELECTRIC ROUTER 12MM

VOLTAGE/FREQUENCY	220/50HZ	IMPORTED		INDIAN	
		SIZE	RATE	SIZE	RATE
INPUT POWER	1200W	8MM	6400.00	8MM	7400.00
NO LOAD SPEED	23000 RPM	12.5MM	6800.00	12MM	7800.00

KT-771
WOOD TRIMMER (PALM ROUTER)

COLLET SIZE : 6 MM	MODEL (6MM)	RATE
220/240 V	REGULAR	3990.00
POWER INPUT :350 WATT	MEDIUM	4990.00
SPEED: 3000 RPM	HEAVY	5990.00

KT-772
PETROL / ELETRIC CHAIN SAW

ELECTRIC 16"/400MM	ELECTRIC 18"/450MM	ELECTRIC 22"/550MM			
SKID LENGTH	400MM	SKID LENGTH	450MM	SKID LENGTH	550MM
RATED OUTPUT POWER	1700W	RATED OUTPUT POWER	1700W	RATED OUTPUT POWER	2400W
VOLTAGE/FREQUENCY	220/50HZ	VOLTAGE/FREQUENCY	220/50HZ	VOLTAGE/FREQUENCY	220/50HZ

PETROL CHAIN SAW

MODEL : REGULAR	HEAVY GOLD
SIZE	RATE
18 INCHES	9300.00
22 INCHES	9900.00
24 INCHES	21500.00
30 INCHES	29900.00
36 INCHES	39000.00

ELECTRIC CHAIN SAW

MODEL : REGULAR	HEAVY GOLD
SIZE	RATE
16 INCHES	6999.00
18 INCHES	10999.00
22 INCHES	13990.00

KT-773
CHAIN SAW SPARES (BAR & CHAIN)

(BAR)	ITEM	(REGULAR)	(HEAVY)	(CHAIN)	ITEM :	(REGULAR)	(HEAVY)
	SIZE	RATE	RATE		SIZE	RATE	RATE
	16 INCHES	499.00	799.00		16 INCHES	399.00	699.00
	18 INCHES	699.00	890.00		18 INCHES	690.00	1500.00
	22 INCHES	899.00	1390.00		22 INCHES	790.00	2000.00
	24 INCHES	1399.00	1990.00		24 INCHES	1390.00	2200.00
	36 INCHES	2490.00	3200.00		36 INCHES	2290.00	3100.00

KT-774
SABER SAW

1100WATT, VARIABLE SPEED RECIPROICATION SAW NO. LOAD SPEED 0-2800 RPM, STROKE LENGTH 29MM CUTTING CAPACITY (WOOD) 280MM CUTTING CAPACITY (STEEL SECTIONS) & PIPES 100MM CUTTING CAPACITY (PVC) 130MM	MODEL :	RATE
	REGULAR	12990.00
	HEAVY	19990.00

KT-775
JIGSAW

REGULAR	5990/-
METAL HEAD	7990/-

KT-776
SCROLL SAW

SIZE : 16" (85 WATT 230 V)	RATE
THROAT DEPTH : 400MM	16950/-
CUTTING HIGHT : 50MM	
BLADE SIZE : 180MM	



KT-801

KT-6-100

G 10SS



PDA-100



AG-5



AG-6



AG-7



CP-7



4"

5"



DIA GRINDER DRILL TYPE

www.kittytools.com AN ISO 9001: 2015 CO. www.kittytools.com

KT-777
ANGLE GRINDER (110MM)

		REGULAR	MEDIUM	EXTRA HEAVY
Size : 4" (100mm)	KT-801 950 (W), 220 (V), 50 (Hz), 11000 (Rpm)	2890/-	3890/-	4290/-
Size : 4" (100mm)	KT-6-100 750 (W), 220 (V), 50 (Hz), 11000 (Rpm)	2690/-	3690/-	4190/-
Size : 4" (100mm)	KT-G10SS 650 (W), 220 (V), 50 (Hz), 11000 (Rpm)			3950/-
Size : 4" (100mm)	KT-PDA 100M 705 (W), 220 (V), 50 (Hz), 12000 (Rpm)			4150/-

SPINDLE THREAD M 10

Note: All kinds of spares & Accessories are available

KT-778
ANGLE GRINDER (125mm)

		REGULAR	MEDIUM	EXTRA HEAVY
Size : 5" (125mm)	AG-5 1400 (W), 220 (V), 50 (Hz), 11000 (Rpm)	5390/-	5990/-	6990/-

SPINDLE THREAD M 14

Note: All kinds of spares & Accessories are available

KT-779
ANGLE GRINDER (150MM)

		REGULAR	MEDIUM	EXTRA HEAVY
Size : 6" (150mm)	KT-AG-6 2200 (W), 220 (V), 50 (Hz), 7500 (Rpm)	8500/-	9590/-	11500/-

SPINDLE THREAD M 14

Note: All kinds of spares & Accessories are available

KT-780
ANGLE GRINDER (180MM)

		REGULAR	MEDIUM	EXTRA HEAVY
SIZE: 7" (180MM)	AG-7 2400 (W) 8500 RPM, Disc Diameter 180 mm, Weight (Kgs) 11 Kg	9500/-	10590/-	12500/-

SPINDLE THREAD M 14

Note: All kinds of spares & Accessories are available

KT-781
CAR POLISHER (180 MM)

		REGULAR	MEDIUM	EXTRA HEAVY
SIZE: 7" (180MM)	CP-7 1500 (W) 600-3000RPM, Disc Diameter 180 mm, Weight (Kgs) 11 Kg	6990/-	7990/-	8990/-

SPINDLE THREAD M 14

KT-782
STRAIGHT GRINDER

MODEL (4 ")	RATE	MODEL (5 ")	RATE
REGULAR	5990.00	REGULAR	6990.00
MEDIUM	7990.00	MEDIUM	9990.00
HEAVY	9990.00	HEAVY	13900.00

Note: All kinds of spares & Accessories are available

KT-783
DIE GRINDER

MODEL	RATE
REGULAR	2990.00
MEDIUM	3990.00
HEAVY	5990.00

DIE GRINDER DRILL TYPE

MODEL	RATE
DIA GRINDER DRILL TYPE	3590.00

Note: All kinds of spares & Accessories are available

www.kittytools.com AN ISO 9001: 2015 CO.

PLASTIC BODY

Note: All kinds of spares & Accessories are available


125MM

150MM

PNEUMATIC

KT-784
ELECTRIC PLANNER
Size

82x1 mm	700 (W), 220 (V), 50/60 (Hz), 16000 (Rpm.)
82x1 mm PLASTIC BODY	740 (W), 220 (V), 50/60 (Hz), 16000 (Rpm.)
90x2 mm	740 (W), 220 (V), 50/60 (Hz), 16000 (Rpm.)
82mm (Spare Blade)	Ordinary- 159/- Hss- 220/- HcHc- 370/- TCT- 690/-

Rate HEAVY

3990/-	6990/-
5900/-	7900/-
7890/-	

KT-785
BELT SANDER (CHAIN SAW TYPE)

MODEL NO. 9031
SPECIFICATION:-
BELT SIZE - 1-1/4" X 21"
BELT SPEED (VARIABLE SPEED) - 656 - 3,280 FT./MIN
AMPS - 5
CORD LENGTH - 8.2 FT. (2.5 M)
DIMENSIONS - 15 X 6.7 X 3.5 INCHES

RATE : 14900.00
KT-786
BELT SANDER (PLANNER TYPE)

SIZE : 4"X24"
 1640FT. /MIN., MOTOR 11AMP.
 Frequency 50 Hz , Input 220/240 V, 1200 W
 SOUND LEVEL 84 DB,

RATE : 15900.00
KT-787
ROUND ORBIT SANDER

SIZE : 5"
 Frequency 50 Hz , Input 220/240 V, 500 W
 No. Load Speed 7000-14000 RPM
 Belt Size 125mm

RATE : 4600.00
ELECTRIC
RATE : 13900/-

SIZE : 6"
 Frequency 50 Hz , Input 220/240 V, 700 W
 No. Load Speed 4000-10000 RPM
 Bed Size 150mm

KT-788
WALL SANDER
PNEUMATIC (Air Orbit)

SIZE : 6"
 Free Speed (rpm) 10500
 Air Consumption (cfm) 3
 Operating Pressure (Psi) 90
 Weight (kg.) 0.9
 Air Exhaust Rear 360° Exhaust

RATE
13500/-
KT-789
FINISHING SANDER

MODEL NO. 2091-K
SIZE : 4" x 6"
 Frequency 50 Hz , Input 220/240 V, 500 W
 No. Load Speed 10000 RPM
 Bed Size 93x185mm

RATE
5600.00
KT-790
PALM SANDER

MODEL NO. FSR-200
SIZE : 4"x4.25"
 Frequency 50 Hz , Input 220/240 V, 200 W
 No. Load Speed 14000 RPM
 Bed Size 114x102mm

RATE
4800.00
KT-791
HAND SANDER
RATE
350.00
KT-792
BURNISHING POLISHING MACHINE

Impact rate 600-3000 rpm
 Frequency 50/60 hz
 Input 220 V
 Power consumption 1400W

MODEL
REGULAR
HEAVY

RATE
19900.00
29900.00



8MM IMPACT DRIVER 1/2" REGULAR 1/2" HEAVY



REGULAR A HEAVY B C) CORDLESS IMPACT DRIVER



1/2" HEAVY 1/2" EXTRA HEAVY



18MM HEAVY 18MM EXTRA HEAVY



3/4" HEAVY 3/4" EXTRA HEAVY



STAPLER NAILER



1" REGULAR 1" HEAVY



1" E. HEAVY FOR TRUCKS



ELECTRIC PNEUMATIC REGULAR PNEUMATIC HEAVY



REGULAR HEAVY



A B

www.kittytools.com AN ISO 9001: 2015 CO. www.kittytools.com

KT-793 ELECTRIC IMPACT WRENCH

SIZE: 8MM 12 MM (REGULAR) 12MM (HEAVY)
 RATE : 6900/- 7990/- 8990/-

KT-794 PNEUMATIC IMPACT WRENCH

SIZE:10 MM	RATE	C). CORDLESS	RATE
A). REGULAR :	9900/-	REGULAR	15990/-
B). HEAVY :	7990/-	MEDIUM	19990/-
		HEAVY	39990/-

KT-795 PNEUMATIC IMPACT WRENCH

SIZE: 12 MM
 HEAVY : 9900/-
 EXTRA HEAVY : 11990/-

KT-796 PNEUMATIC IMPACT WRENCH

SIZE: 18 MM
 HEAVY : 13900/-
 EXTRA HEAVY : 19990/-

KT-797 PNEUMATIC IMPACT WRENCH

SIZE: 20 MM
 HEAVY : 21900/-
 EXTRA HEAVY : 24990/-

KT-798 PNEUMATIC STAPLER & NAILER

ITEM :	STAPLER	NAILER
REGULAR :	5390/-	5990/-
HEAVY :	8590/-	9590/-

KT-799 PNEUMATIC IMPACT WRENCH

SIZE: 20 MM
 REGULAR : 35900/-
 EXTRA HEAVY : 45990/-

KT-800 IMPACT WRENCH

MOMENT BOUND 900 -1850 NM MAX TORQUE 2180MM AIR INLET 1/2 INCH, NO. LOAD SPEED 4200 rpm. BOLT CAPACITY 41MM ANVIL SIZE 8" SOCKET SIZE 32MM, 33MM WEIGHT 14KG. MECHANISM PIN LESS HAMMER	REGULAR RATE 41900.00	MOMENT BOUND 1500 -3000 NM MAX TORQUE 3200MM AIR INLET 1/2 INCH, NO. LOAD SPEED 3200 rpm. BOLT CAPACITY 48MM ANVIL SIZE 9" SOCKET SIZE 32MM, 33MM WEIGHT 16.1KG. MECHANISM PIN LESS HAMMER	HEAVY RATE 45900.00
---	---------------------------------	--	-------------------------------

KT-801 SOCKET IMPACT WRENCH KIT

SET OF 17 PCS., 1/2" SQUARE DRIVE MAX TORQUE 340MM WORKING PRESSURE 90 PSI(6.3 BAR) AIR INLET 1/4 INCH, NO. LOAD SPEED 7000 rpm. AVERAGE AIR CONSUMPTION 7.5 CFM INTERNAL DIA METER AIR HOSE 3/8 INCH, WEIGHT 2.18 KG.	SET OF 17 PCS. 1/2" ELECTRIC : 10990/- PNEUMATIC REGULAR : 13999/- PNEUMATIC HEAVY : 23999/-
---	--

KT-802 LABOUR SAVING MACHINE

RAGULAR : 5999/-
 HEAVY : 7999/-

IMPACT WRENCH SOCKETS

KT-803 A 24-33 MM : 935/-
 34-41 MM : 959/-

UNIVERSAL JOINT

B UNIVERSAL JOINT FOR 1" IMPACT WRENCH : 1990/-


KT-804
HOT AIR GUN

 220/240 V
 POWER INPUT : 2000 WATT
 350°C 550L/MIN
 550°C 550L/MIN
 50/60 Hz

INDIAN
 REGULAR
 MEDIUM
 HEAVY

RATE
 1990.00
 2990.00
 3590.00

IMPORTANT
 REGULAR
 MEDIUM
 HEAVY

RATE
 1790.00
 2790.00
 3390.00

KT-805
MINI (HANDY) CORDLESS

 6.2V
 RATE : 3395/-

KT-806
SCREW DRIVER
ELECTRIC

ORDINARY	MEDIUM	HEAVY
2800/-	3800/-	4800/-


KT-807
CORDLESS (12V)
CORDLESS (12V)

ORDINARY	MEDIUM	HEAVY
3800/-	4800/-	5800/-

KT-808
CORDLESS

 14.4 V
 19900/-

 18 V
 24900/-

KT-809
CORDLESS SCREW DRIVER KIT (10MM)

 CD 12V 24 KIT
 1300mAH Ø 10MM

RATE
 4990.00

KT-810
ELECTRIC HAND BLOWER
MODEL IMPORTED

A). REGULAR	1395/-
B). REGULAR VARIABLE SPD.	1890/-
C). HEAVY VARIABLE SPD.	2890/-

MODEL INDIAN

D). REGULAR	1935/-
E). REGULAR VARIABLE SPD.	2400/-
F). HEAVY VARIABLE SPD.	3390/-


CORDLESS BLOWER
KT-811
CORDLESS BLOWER

 WITH LITHIUM BATTERY (21V)
 LONG LASTING

RATE
 9990.00

www.kittytools.com

AN ISO 9001: 2015 CO.

www.kittytools.com

www.kittytools.com AN ISO 9001: 2015 CO.

A
REGULAR IMPORTED

B
REGULAR INDIAN

C
MEDIUM INDIAN

D
HEAVY INDIAN

E
EXTRA HEAVY INDIAN

F
PROFESSIONAL INDIAN

SPARE NOZZLE

A

B

C

D

A

B

SPARE NOZZLE

ELECTRIC

REGULAR
DIESEL ENGINE

HEAVY
KT-812
CONCRETE VIBRATOR

220/240 V	MODEL	POWER INPUT	SPEED	RATE
SPEED: 4000 RPM 50-60 Hz	(A). REGULAR IMP.	(650 W)	3800RPM	3990.00
	(B). REGULAR IND.	(800 W)	4000 RPM	4990.00
	(C). MEDIUM IND.	(1300 W)	4600 RPM	5990.00
	(D). HEAVY IND.	(2000 W)	4800 RPM	6990.00
	(E). E- HEAVY IND.	(2200W)	4800 RPM	9990.00
	(F). PROFESSIONAL	(2400W)	4800 RPM	13990.00

KT-813
HI FREQUENCY CONCRETE VIBRATOR

FREQUENCY 50~60Hz, 230V
VIBORATING AMPLITUDE 1.2MM
FEEDING HEIGHT 1380MM
3HP, 18000 RPM, WEIGHT 5.8KG.
SHAFT LENGTH 1 TO 6 (1, 1.5, 2, 3, 4, 5 & 6)

RATE
39590.00

KT-814
CONCRETE VIBRATOR SPARE NOZZLE

NEEDLE (SPARE NOZZLE)	RATE	NEEDLE (SPARE NOZZLE)	RATE
(35MM) 1 MTR.	1590.00	(50MM) 1 MTR.	2990.00
(35MM) 1.5 MTR.	1990.00	(50MM) 1.5 MTR.	3590.00
(35MM) 2 MTR.	4450.00	(50MM) 2 MTR.	4990.00
(35MM) 3 MTR.	4990.00	(50MM) 3 MTR.	5990.00

KT-815
ELECTRIC CONCRETE VIBRATOR

MODEL :	RATE
A. REGULAR	17900.00
B. HEAVY	39900.00
C. HEAVY WITH STAND	45900.00
D. EXTRA HEAVY	87900.00

KT-816
DIESEL ENGINE CONCRETE VIBRATOR


A. DIESEL ENGINE	B. DIESEL ENGINE WITH STAND		
RATE : 33590.00	RATE : 45590.00		
C. SPARE NOZZLE	40MM	50MM	60MM
RATE	6990.00	7590.00	8990.00

KT-817
SURFACE PLATE VIBRATOR

ELECTRIC MOTOR 2HP
SIZE : 24"X18", CAP. : 1-2 TON, WEIGHT APPX. 80 KG.
POWER : 1-3KV, SPEED M/PIN., VOLTAGE 220
RATE : 59900.00

DIESEL ENGINE :
SIZE : 2X3 FEET, CAPACITY : 2-3 TON, WEIGHT APPX. 100 KG.
POWER : 1-3KV, SPEED M/PIN., VOLTAGE 220
REGULAR : 78900.00
HEAVY : 139000.00

www.kittytools.com AN ISO 9001: 2015 CO. www.kittytools.com


KT-818
DRILL MACHINE STAND
RATE
2790.00

KT-819
ANGLE GRINDER CUT OFF ADAPTOR
RATE
2880.00

KT-820
ANGLE GRINDER CHAIN SAW ADAPTOR KIT

SIZE	RATE
11.5"	2990/-
16"	3590/-

KT-821
DOOR LOCK INSTALLATION KIT
RATE
11900.00

KT-822
SCREW DRIVER RIVETER ADAPTOR KIT
RATE
2690.00

KT-823
SANDING BELT ADAPTOR ATATCHMENT

Specification:
 Belt Sander Attachment Use in Angle Grinder
 Material Aluminum Alloy + Cast Iron Casting
 Connecting Spindle M10
 Fit for M10 Spindle Angle Grinder
 Belt size 540x30mm
 Belt Grit 80 / 120 / 150 / 180 / 240
 Use to Polishing Wood, Metal, Stainless Steel and etc

RATE
13900.00

KT-824
KEYLESS CHUCK ADAPTOR SCREW DRIVER
RATE
490.00

KT-825
KEYLESS CHUCK ADAPTOR SCREW DRIVER
RATE
59.00

KT-826
DOUBLE BLADE ADAPTOR FOR ANGLE GRINDER

SIZE:	(M10) FOR 4"	(M14) FOR 5"
RATE	220.00	290.00

KT-827
DU-10 DRILL COUPLING

A	B	C
RATE	RATE	RATE
249.00	299.00	399.00